

PUBLICATIONS YVES BERGERON *et al.*

COPIES DISPONIBLES DANS LA BIBLIOTHÈQUE DU LOCAL D-224

(✓ Fichier pdf disponible sur demande à
marie-helene.longpre@uqat.ca)

- 241)** Leonelli, G., Denneler, B. & Y. Bergeron. **2008**. Climate sensitivity of trembling aspen radial growth along a productivity gradient in northeastern British Columbia, Canada. *Can. J. For. Res.* 38: 1211-1222. ✓
- 240)** Campbell, E.M., MacLean, D.A. & Y. Bergeron. **2008**. The severity of budworm-caused growth reductions in balsam fir/spruce stands varies with the hardwood content of surrounding forest landscapes. *Forest Science* 54(2): 195-205. ✓
- 239)** Denneler, B., Asselin, H., Bergeron, Y. & Y. Bégin. **2008**. Decreased fire frequency and increased water levels affect riparian forest dynamics in southwestern boreal Quebec, Canada. *Can. J. For. Res.* 38: 1083-1094. ✓
- 238)** Savva, Y., Bergeron, Y., Denneler, B., Koubaa, A. & F. Tremblay. **2008**. Effect of interannual climate variations on radial growth of jack pine provenances in Petawawa, Ontario. *Canadian Journal of Forest research* 38 (3): 619-630. ✓
- 237)** Boudreault, C., Coxson, D.S., Vincent, E., Bergeron, Y. & J. Marsh. **2008**. Variation in epiphytic lichen and bryophyte composition and diversity along a gradient of productivity in populus tremuloides stands of northeastern British Columbia, Canada. *Ecoscience* 15(1): 101-112. ✓
- 236)** Smirnova, E., Bergeron, Y. & S. Brais. **2008**. Influence of fire intensity on structure and composition of jack pine stands in the boreal forest of Québec: live trees, understory vegetation and dead wood dynamics. *Forest Ecology and management* 255: 2916-2927 ✓
- 235)** Boudreault, C., Bergeron, Y., Drapeau, P. & M. Mascarua Lopez. **2008**. Edge effects on epiphytic lichens in remnant stands of managed landscapes in the Eastern boreal forest of Canada. *Forest Ecology and management* 255: 1461-1471. ✓
- 234)** Smirnova, E., Bergeron, Y., Brais, S. & A. Granström. **2008**. Postfire root distribution of Scots pine in relation to fire behaviour. *Can. J. For. Res.*

- 38: 353-362. ✓
- 233)Denneler, B., Bergeron, Y., Bégin, Y. & H. Asselin. **2008**. Growth responses of *Thuja occidentalis* to the damming of a large boreal lake. *Botany* 86: 53-62. ✓
- 232)Drever, R.C., Drever, M.C., Messier, C., Bergeron, Y. & M. Flannigan. 2008. Fire and the relative roles of weather, climate and landscape characteristics in the Great Lakes-St.Lawrence forest of Canada. *Journal of vegetation Science* 19: 57-66. ✓
- 231)Haeussler, S., Bergeron, Y., Brais, S. & B.D. Harvey. **2007**. Natural dynamics-based silviculture for maintaining plant biodiversity in populus tremuloïdes-dominated boreal forests of eastern Canada. *Can. J. Bot.* 85: 1158-1170. ✓
- 230)de Römer, A.H., Kneeshaw, ,D.D. & Y. Bergeron. **2007**. Small gap dynamics in the southern boreal forest of eastern Canada: do canopy gaps influence stand development ? *Journal of vegetation science* 18 (6): 815-826 ✓
- 229)LeGoff, H., Flannigan, M.D., Bergeron, Y. & M.P. Girardin. **2007**. Historical fire regime shifts related to climate teleconnections in the Waswanipi area, central Québec, Canada. *International Journal of Wildland fire* 16: 607-618. ✓
- 228)Huang, J., Bergeron, Y., Denneler, B., Berninger, F. & J. Tardif. **2007**. Response of forest trees to increased atmospheric CO₂. *Critical reviews in plant sciences* 26: 265-283. ✓
- 227)Simard, M., Lecomte, N., Bergeron, Y., Bernier, P.Y. & D. Paré. **2007**. Forest productivity decline caused by successional paludification of boreal soils. *Ecological applications* 17(6): 1619-1637. ✓
- 226)Greene, D.F., Macdonald, S.E., Haeussler, S., Domenicano, S., Noël, J., Jayen, K., Charron, I., Gauthier, S., Hunt, S., Gielau, E.T., Bergeron, Y. & L. Swift. **2007**. The reduction of organic-layer depth by wildfire in the North American boreal forest and its effect on tree recruitment by seed. *Can. J. For. Res.* 37: 1012-1023. ✓
- 225)Cyr, D., Gauthier, S. & Y. Bergeron. **2007**. Scale-dependent determinants of heterogeneity in fire frequency in a coniferous boreal forest of eastern Canada. *Landscape Ecology* 22: 1325-1339, DOI 10.1007/s10980-007-9109-3. ✓
- 224)Bergeron, Y., Drapeau, P., Gauthier, S. & N. Lecomte. **2007**. Using knowledge of natural disturbances to support sustainable forest management in the northern Clay belt. *For. Chron.* 83 (3): 326-337. ✓

- 223)**Heinrichs, D.K., Tardif, J. & Y. Bergeron. **2007**. Xylem production in six tree species growing on an island in the boreal forest region of western Québec, Canada. *Can. J. Bot.* 85: 518-525. ✓
- 222)**Lauzon, E., Kneeshaw, D. & Y. Bergeron. **2007**. Reconstruction of fire history (1680-2003) in Gaspesian mixedwood boreal forests of eastern Canada. *Forest, ecology and management* 244(1): 41-49 ✓
- 221)**Messaoud, Y., Bergeron, Y. & H. Asselin. **2007**. Reproductive potential of balsam Fir (*Abies balsamea*), white spruce (*Picea glauca*), and black spruce (*P. mariana*)
At the ecotone between mixedwood and coniferous forests in the boreal zone of Western Québec. *American Journal of Botany* 94(5): 746-754. ✓
- 220)**Fenton.N.J., Béland, C., De Blois, S & Y. Bergeron. 2007. *Sphagnum* establishment
And expansion in black spruce (*Picea mariana*) boreal forests.
Can. J. Bot. 85: 43-50 ✓
- 219)**Savva, Y., Denneler, B., Koubaa, A., Tremblay, F., Bergeron, Y., & M.G. Tjoelker. 2007. Seed transfer and climate change effects on radial growth of jack pine populations in a common garden in Petawawa, Ontario, Canada.
Forest Ecology and Management 242: 636-647. ✓
- 218)**Haeussler, S., Macdonald, S.E., Gachet, S. & Y. Bergeron. 2007. Understory and epiphytic vegetation as indicators of the ecological integrity of managed forests: a synthesis of the special issue. *Forest, ecology and management* 242: 1-4 ✓
- 217)**Lavoie, M., Paré, D. & Y. Bergeron. **2007**. Relationships between microsite type and the growth and nutrition of young black spruce on post-disturbed lowland black spruce sites in eastern Canada. *Can. J. For. Res.* 37: 62-73. ✓
- 216)**Gachet, S., Leduc, A., Bergeron, Y., Nguyen-Xuan, T. & F. Tremblay. **2007**. Understory vegetation of boreal tree plantations: differences in relation to previous land use and natural forests. *Forest, ecology and management* 242: 49-57. ✓
- 215)** Fenton, N.J. & Y. Bergeron. **2007**. Sphagnum community change after partial harvest in black spruce boreal forests. *Forest, ecology and management* 242: 24-33. ✓
- 214)** Lavoie, M., Paré, D. & Y. Bergeron. **2007**. Quality of growth substrates of post-disturbed lowland black spruce sites for black spruce (*Picea mariana*) seedling growth. *New forests* 33: 207-216. ✓

- 213)** Lavoie, M., Harper, K., Paré, D. & Y. Bergeron. **2007**. Spatial pattern in the organic layer and tree growth: a case study from regenerating *Picea mariana* stands prone to paludification. *Journal of vegetation science* 18: 213-222. ✓
- 212)** Belleau, A., Bergeron, Y., Leduc, A., Gauthier, S. & A. Fall. **2007**. Using spatially explicit simulations to explore size distribution and spacing of regenerating areas produced by wildfires: recommendations for designing harvest agglomerations for the Canadian boreal forests. *For. Chron.* 83(1): 72-83. ✓
- 211)** Messaoud, Y., Bergeron, Y. & A. Leduc. **2007**. Ecological factors explaining the location of the boundary between the mixedwood and coniferous bioclimatic zones in the boreal biome of eastern North America. *Global ecology and Biogeography* 16: 90-102. ✓
- 210)** Bergeron, Y., Cyr, D., Drever, R., Flannigan, M., Gauthier, S., Kneeshaw, D., Lauzon, E., Leduc, A., LeGoff, H., Lesieur, D. & K. Logan. **2006**. Past, current, and future fire frequencies in Quebec's commercial forests : implications for the cumulative effects of harvesting and fire on age-class structure and natural disturbance-based management. *Can. J. For. Res.* 36: 2737-2744. ✓
- 209)** Lecomte, N., Simard, M., Fenton, N. & Y. Bergeron. **2006**. Fire severity and long-term ecosystem biomass dynamics in coniferous boreal forests of eastern Canada. *Ecosystems* 9: 1215-1230. ✓
- 208)** Girardin, M.P., Tardif, J.C., Flannigan, M.D. & Y. Bergeron. **2006**. Forest fire-Conductive drought variability in the southern Canadian boreal forest and Associated climatology inferred from tree rings. *Canadian water resources journal* 31(4): 275-296. ✓
- 206)** Lecomte, N., Simard, M., Asselin, H., Nappi, A., Noël, J. & Y. Bergeron. **2006**. Similarities and differences between harvesting and wildfire induced disturbances In fire-mediated Canadian landscapes. NCASI, technical bulletin no 924, octobre 2006, 53p. ✓
- 205)** Bouchard, M., Kneeshaw, D. & Y. Bergeron. **2006**. Forest dynamics after successive Spruce budworm outbreaks in mixedwood forests. *Ecology* 87(9): 2319-2329. ✓
- 204)** Harper, K.A, Bergeron, Y., Drapeau, P., Gauthier, S. & L. De Grandpré. **2006**. Changes in spatial pattern of trees and snags during structural development in *Picea mariana* boreal forests. *Journal of vegetation science* 17: 625-636. ✓
- 203)** Drever, C.R., Peterson, G., Messier, C., Bergeron, Y. & M. Flannigan. **2006**.

- Can forest management based on natural disturbances maintain ecological resilience ? Can. J. For. Res. 36: 2285-2299. ✓
- 202)** Girardin, M.P., Bergeron, Y., Tardif, J.C., Gauthier, S., Flannigan, M.D. & M. Mudelsee. **2006**. A 229-year dendroclimatic-inferred record of forest fire Activity for the Boreal shield of Canada. International journal of Wildland Fire 15: 375-388. ✓
- 201)** Drever, C.R., Messier, C., Bergeron, Y. & F. Doyon. **2006**. Fire and canopy species composition in the Great lakes-St.Lawrence forest of Témiscamingue, Québec. Forest, Ecology and management 231: 27-37. ✓
- 200)** Lavoie, M., Paré, D. & Y. Bergeron. **2006**. Unusual effect of controlling above-Ground competition by ledum groenlandicum on black spruce (Picea mariana) In boreal forested peatland. Can. J. For. Res. 36: 2058-2062. ✓
- 199)** Carcaillet, C., Richard, P.J.H., Asnong, H., Capece, L. & Y. Bergeron. **2006**. Fire and soil erosion history in East Canadian boreal and temperate forests. Quaternary Science Reviews 25: 1489-1500. ✓
- 198)** Jayen, K., Leduc, A. & Y. Bergeron. **2006**. Effect of fire severity on regeneration success in the boreal forest of northwest Québec, Canada. Écoscience 13(2): 143-151. ✓
- 197)** Lecomte, N., Simard, M. & Y. Bergeron. **2006**. Effects of fire severity and initial tree composition on stand structural development in the coniferous boreal forest of northwestern Québec, Canada. Écoscience 13(2): 152-163. ✓
- 196)** Bouchard, M., Kneeshaw, D. & Y. Bergeron. **2006**. Tree recruitment pulses and Long-term species coexistence in mixed forests of western Québec. Ecoscience 13(1): 82-88. ✓
- 195)** Naydenov, K, Tremblay, F., Bergeron, Y. & V. Goudiaby. **2006**. Influence du charbon actif sur la croissance primaire des plantules de pin gris. Can. J. For. Res. 36 : 761-767. ✓
- 194)** Girardin, M.-P., Tardif, J.C., Flannigan, M.D. & Y. Bergeron. **2006**. Synoptic-scale Atmospheric circulation and boreal Canada summer drought variability of the past Three centuries. Journal of climate 19: 1922-1947. ✓
- 193)** Fenton, N.J. & Y. Bergeron. **2006**. *Sphagnum* spore availability in boreal forests.

- The Bryologist 109(2): 173-181. ✓
- 192)** Namroud, M.-C., Leduc, A., Tremblay, F. & Y. Bergeron. **2006.** Simulations of clonal species genotypic diversity – trembling aspen (*Populus tremuloïdes*) as a case study. Conservation genetics 7(3): 415-426 ✓
- 191)** Greene, D.F., Gauthier, S., Noël, J., Rousseau, M. & Y. Bergeron. **2006.** A field experiment to determine the effect of post-fire salvage on seedbeds and tree regeneration. Research communications, Frontiers in ecology and environment 4(2): 69-74. ✓
- 190)** Fenton, N., Légaré, S., Bergeron, Y. & D. Paré. **2006.** Soil oxygen within boreal Forests across an age gradient. Can. J. Soil Sci. 86: 1-9. ✓
- 189)** Asselin, H., Belleau, B. & Y. Bergeron. **2006.** Factors responsible for the co-occurrence of forested and unforest rock outcrops inn the boreal forest. Landscape ecology 21: 271-280. ✓
- 188)** Fenton, N.J. & Y. Bergeron. **2006.** Facilitative succession in a boreal bryophyte community driven by changes in available moisture and light. Journal of vegetation science 17: 65-76. ✓
- 187)** Brais, S., Sadi, F., Bergeron, Y & Y. Grenier. **2005.** Coarse woody debris dynamics in a post-fire jack pine chronosequence an its relation with site productivity. Forest Ecology and Management 220 (1-3): 216-226. ✓
- 186)** Lecomte, N. & Y. Bergeron. **2005.** Successional pathways on different surficial deposits in the coniferous boreal forest of the Québec Clay belt. Can. J. for. Res. 35(8): 1984-1995. ✓
- 185)** Lecomte, N., Simard, M., Bergeron, Y., Larouche, A., Asnong, H. & P.J.H. Richard. **2005.** Effects of fire severity and initial tree composition on understorey vegetation dynamics in a boreal landscape inferred from chronosequence and paleoecological data. Journal of vegetation science 16: 665-674. ✓
- 184)** Légaré, S., Paré, D. et Y. Bergeron. **2005.** Influence of aspen on forest floor properties in black spruce-dominated stands. Plant and Soil 275: 207-220. ✓
- 183)** Lavoie, M., Paré, D. et Y. Bergeron. **2005.** Impact of global change and forest management on carbon sequestration in northern forested peatlands. Environ. Rev. 13: 199-240. ✓

- 182)** Le Goff, H., Leduc, A., Bergeron, Y. et M. Flannigan. **2005**. The adaptive capacity of forest management to changing fire regimes in the boreal forest of Québec. *Forestry Chronicle* 81(4): 582-592. ✓
- 181)** Namroud, M.-C., Park, A., Tremblay, F. et Y. Bergeron. **2005**. Clonal and spatial Genetic structures of aspen (*Populus tremuloides* Michx.). *Molecular ecology* 14: 2969-2980. ✓
- 180)** Fenton, N., Lecomte, N., Légaré, S. et Y. Bergeron. **2005**. Paludification in black Spruce (*Picea mariane*) forests of eastern Canada : potential factors and management implications. *Forst Ecology and management* 213 : 151-159. ✓
- 179)** Groot, A., Gauthier, S. et Y. Bergeron. **2004**. Stand dynamics modelling approaches for multicohort management of eastern canadian boreal forests. *Silva Fennica* 38(4): 437-448. ✓
- 178)** Park, A., Kneeshaw, D., Bergeron, Y. et A. Leduc. **2005**. Spatial relationships and tree species associations across a 236-year boreal mixedwood chronosequence. *Can. J. for. Res.* 35 : 750-761. ✓
- 177)** Namroud, M.-C., Tremblay, F. et Y. Bergeron. **2005**. Temporal variation in quaking aspen (*Populus tremuloides*) genetic and clonal structures in the mixedwood boreal forest of eastern Canada. *Ecoscience* 12: 82-91. ✓
- 176)** Grenier, D.J., Bergeron, Y., Kneeshaw, D. et S. Gauthier. **2005**. Fire frequency For the transitional mixedwood forest of Timiskaming, Quebec, Canada. *Can. Jor. For. Res.* 35: 656-666. ✓
- 175)** Légaré, S., Bergeron, Y. et D. Paré. **2005**. Effect of aspen (*Populus tremuloides*) as a companion species on the growth of black spruce (*Picea mariana*) in the southwestern boreal forest of Quebec. *Forest Ecology and management* 208: 211-222. ✓
- 174)** Lefort, P., Leduc, A., Gauthier, S. et Y. Bergeron. **2004**. Recent fire regime (1945-1998) in the boreal forest of western Québec. *Ecoscience* 11(4): 433-445. ✓
- 173)** Cyr, D., Bergeron, Y., Gauthier, S. et A.C. Larouche. **2005**. Are the old-growth forests of the Clay belt part of a fire-regulated mosaic ? *Can. J. for. Res.* 35: 65-73. ✓
- 172)** Bouchard, M., Kneeshaw, D. et Y. Bergeron. **2005**. Mortality and stand renewal

- patterns following the last spruce budworm outbreak in mixed forests of western Quebec. *Forest Ecology and management* 204: 297-313. ✓
- 171)** Naydenov, K.D., Tremblay, F., Bergeron, Y., Alexandrov, A. et N. Fenton. **2005**. Dissimilar patterns of *Pinus heldreichii* Christ. Populations in Bulgaria revealed by chloroplast microsatellites and terpenes analysis. *Biochemical systematics and ecology* 33: 133-148. ✓
- 170)** Harper, K.A, Bergeron, Y., Drapeau, P., Gauthier, S. et L. De Grandpré. **2005**. Structural development following fire in black spruce boreal forest. *Forest Ecology and management* 206: 293-306. ✓
- 169)** Girardin, M.P., Tardif, J., Flannigan, M.D. et Y. Bergeron. **2004**. Multicentury reconstruction of the Canadian drought code from eastern Canada and its relationship with paleoclimatic indices of atmospheric circulation. *Climate dynamics* 23(2): 99-115. ✓
- 168)** Greene, D.F., Noël, J., Bergeron, Y., Rousseau, M. et S. Gauthier. **2004**. Recruitment of *Picea mariana*, *Pinus banksiana*, and *Populus tremuloides* across a burn severity gradient following wildfire in the southern boreal forest of Québec. *Can. J. for. Res.* 34: 1845-1857. ✓
- 167)** Chen, H. Y. H., Légaré, S. et Y. Bergeron. **2004**. Variation of the understory composition and diversity along a gradient of productivity in *Populus tremuloides* stands of northern British Columbia, Canada. *Can. J. Bot.* 82: 1314-1323. ✓
- 166)** Bergeron, Y., Flannigan, M., Gauthier, S., Leduc, A. et P. Lefort. **2004**. Past, current and future fire frequency in the Canadian boreal forest: implications for sustainable forest management. *Ambio* 33(6): 356-360. ✓
- 165)** Cheveau, M., Drapeau, P., Imbeau, L. et Y. Bergeron. **2004**. Owl winter irruptions as an indicator of small mammal population cycles in the boreal forest of eastern North America. *Oikos* 107: 190-198. ✓
- 164)** Chapin, F.S., Peterson, G., Berkes, F., Callaghan, T.V., Angelstam, P., Apps, M., Beier, C., Bergeron, Y., Crépin, A.-S., Danell, K., Elmqvist, T., Folke, C., Forbes, B., Fresco, N., Juday, G., Niemelä, J., Shvidenko, A. et G. Whiteman. **2004**. Resilience and vulnerability of northern regions to social and environmental change. *Ambio* 33(6): 344-349. ✓

- 163)** Chapin, F.S., Callaghan, T.V., Bergeron, Y., Fukuda, M., Johnstone, J.F., Juday, G. et Zimov, S.A. **2004.** Global change and the boreal forest : thresholds, shifting states or gradual change ? *Ambio* 33(6): 361-365. ✓
- 162)** Bergeron, Y. **2004.** Is regulated even-aged management the right strategy for the Canadian boreal forest ? *Forestry Chronicle* 80(4): 458-462. ✓
- 161)** Lamarche, J., Bradley, R.L., Paré, D., Légaré, S. et Y. Bergeron. **2004.** Soil parent material may control forest floor properties more than stand type or stand age in mixedwood boreal forest. *Ecoscience* 11(2): 228-237. ✓
- 160)** Bergeron, Y., Gauthier, S., Flannigan, M. et V. Kafka. **2004.** Fire regimes at the transition between mixedwood and coniferous boreal forest in northwestern Québec. *Ecology* 85(7): 1916-1932. ✓
- 159)** Lantin, É., Drapeau, P., Paré, M. et Y. Bergeron. **2003.** Preliminary assessment of habitat characteristics of woodland caribou calving areas in the Claybelt region of Québec and Ontario, Canada. *Rangifer* 14: 247-254. ✓
- 158)** Purdon, M., Brais, S. et Bergeron, Y. **2004.** Initial response of understorey vegetation to fire severity and salvage-logging in the southern boreal forest of Québec. *Applied Vegetation science* 7: 49-60. ✓
- 157)** Brais, S., Harvey, B.D., Messier, C., Greene, D., Belleau, A. et D. Paré. **2004.** Testing forest ecosystem management in boreal mixedwoods of northwestern Québec: initial response of aspen stands to different levels of harvesting. *Can. J. For. Res.* 34: 431-446. ✓
- 156)** Légaré, S., Paré, D. et Y. Bergeron. **2004.** The responses of black spruce growth to an increased proportion of aspen in mixed stands. *Can. J. For. Res.* 34: 405-416. ✓
- 155)** Pham, A.T., De Grandpré, L., Gauthier, S. et Y. Bergeron. **2004.** Gap dynamics and replacement patterns in gaps of the northeastern boreal forest of Québec. *Can. J. For. Res.* 34: 353-364. ✓
- 154)** D'aoust, V., Kneeshaw, D. et Y. Bergeron. **2004.** Characterization of canopy openness before and after a spruce budworm outbreak in the Southern boreal forest. *Can. For. For. Res.* 34: 339-352. ✓
- 153)** Harper, K.A., Lesieur, D., Bergeron, Y. et P. Drapeau. **2004.** Forest structure and

- composition at young fire and cut edges in black spruce boreal forest.
Can. J. For. Res. 34: 289-302. ✓
- 152)** Haeussler, S. et Y. Bergeron. **2004.** Range of variability in boreal aspen plant communities after wildfire and clear-cutting. Can. J. For. Res. 34: 274-288. ✓
- 151)** Béland, M., Lussier, J.-M., Bergeron, Y., Longpré, M.-H. et M. Béland. **2003.** Structure, spatial distribution and competition in mixed jack pine (*Pinus Banksiana*) stands on clay soils of eastern Canada. Annals of Forest Science 60: 609-617. ✓
- 150)** Girardin, M.-P., Tardif, J., Flannigan, M. D., Wotton, B.M. et Y. Bergeron. **2004.** Trends and periodicities in the Canadian drought code and their relationships with Atmospheric circulation for the southern Canadian boreal forest. Can. J. for. Res. 34: 103-119. ✓
- 149)** Larocque, I., Bergeron, Y., Campbell, D. et R.H.W. Bradshaw. **2003.** Fire-induced decrease in forest cover on a small rock outcrop in the Abitibi region of Québec, Canada. Ecoscience 10(4): 515-524. ✓
- 148)** Harper, K., Boudreault, C., De Grandpré, L., Drapeau, P., Gauthier, S. et Y. Bergeron. **2003.** Structure, composition and diversity of old-growth black Spruce boreal forest of the clay belt region in Québec and Ontario. Environmental Review 11: 79-98. ✓
- 147)** Drapeau, P., Leduc, A., Bergeron, Y., Gauthier, S. et J.-P. Savard. **2003.** Les communautés d'oiseaux des vieilles forêts de la pessière à mousses de la ceinture d'argile : problèmes et solutions face à l'aménagement forestier. For. Chron. 79 : 531-540 ✓
- 146)** Hély, C., Flannigan, M. et Y. Bergeron. **2003.** Modeling tree mortality following wildfire in the southeastern Canadian mixed-wood boreal forest. Forest science 49(4): 566-576. ✓
- 145)** Lefort, P., Gauthier, S. et Y. Bergeron. **2003.** The influence of fire weather and land use on the fire activity of the lake Abitibi area, Eastern Canada. Forest science 49(4): 509-521. ✓
- 144)** Kernaghan, G., Widden, P., Bergeron, Y., Légaré, S. et D. Paré. **2003.** Biotic and abiotic factors affecting ectomycorrhizal diversity in boreal mixed-woods. Oikos 102(3): 497-504. ✓

- 143)** Simard, M.-J., Bergeron, Y. et L. Sirois. **2003**. Substrate and litterfall effects on conifer seedling survivorship in southern boreal stands of Canada. *Can. J. For. Res.* 33: 672-681. ✓
- 142)** Béland, M., Bergeron, Y. et R. Zarnovican. **2003**. Harvest treatment, scarification and competing vegetation affect jack pine establishment on three soil types of the boreal mixed wood of northwestern Quebec. *Forest ecology and management* 174: 477-493. ✓
- 141)** Rheault, H., Drapeau, P., Bergeron, Y. et P.-A. Esseen. **2003**. Edge effects on epiphytic lichens in managed black spruce forests of eastern North America. *Can. J. For. Res.* 33: 23-32. ✓
- 140)** Tremblay, M.F., Bergeron, Y., Lalonde, D. et Y. Mauffette. **2002**. The potential effects of sexual reproduction and seedling recruitment on the maintenance of red maple (*Acer rubrum* L.) populations at the northern limit of the species range. *Journal of Biogeography* 29: 365-373. ✓
- 139)** Lesieur, D., Gauthier, S. et Y. Bergeron. **2002**. Fire frequency and vegetation dynamics for the south-central boreal forest of Quebec, Canada. *Can. J. For. Res.* 32: 1996-2009. ✓
- 138)** Boudreault, C., Bergeron, Y., Gauthier, S. et P. Drapeau. **2002**. Bryophyte and lichen communities in mature to old-growth stands in eastern boreal forests of Canada. *Can. J. For. Res.* 32: 1080-1093. ✓
- 137)** Tardif, J., Conciatori, F. et Y. Bergeron. **2001**. Comparative analysis of the climatic response of seven boreal tree species from northwestern Québec, Canada. *Tree-ring research* 57(2): 169-181. ✓
- 136)** Bergeron, Y., Denneler, B., Charron, D. et M.-P. Girardin. **2002**. Using dendrochronology to reconstruct disturbance and forest dynamics around lake Duparquet, northwestern Quebec. *Dendrochronologia* 20: 175-189. ✓
- 135)** Bergeron, Y., Leduc, A., Harvey, B.D. et S. Gauthier. **2002**. Natural fire regime: A guide for sustainable management of the Canadian boreal forest. *Silva Fennica* 36(1) : 81-95. ✓
- 134)** Haeussler, S., Bedford, L., Leduc, A., Bergeron, Y. et J.M. Kranabetter. **2002**. Silvicultural disturbance severity and plant communities of the southern Canadian boreal forest. *Silva Fennica* 36(1): 307-327. ✓

- 133) L egar , S., Bergeron, Y. et D. Par . **2002**. Influence of forest composition on understory cover in boreal mixed-wood forests of western Qu bec. *Silva Fennica* 36(1): 353-366. ✓
- 132) Lesieur, D., Bergeron, Y., Gauthier, S., Kafka, V. et P. Lefort. **2002** Change in fire frequency during the last 300 years in the eastern canadian boreal forests. *Pages news*, Vol.10, No.1 :18-19.
- 131) Harper, K.A., Bergeron, Y., Gauthier, S. et P. Drapeau. **2002** Post-fire development of canopy structure and composition in black spruce forests of Abitibi, Qu bec: a landscape scale study. *Silva Fennica* 36(1): 249-263 ✓
- 130) Girardin, M.P., Tardif, J. et Y. Bergeron. **2002**. Dynamics of eastern larch stands and its relationships with larch sawfly outbreaks in the northern Clay belt of Quebec. *Can. J. for. Res.* 32 : 206-216. ✓
- 129) Girardin, M.-P., Tardif, J. et Y. Bergeron, Y. **2001**. Radial growth analysis of *Larix laricina* from lake the Duparquet area, Qu bec, in relation to climate and larch sawfly outbreaks. *Ecoscience* 8:127-138. ✓
- 128) Tardif, J., Flannigan, M.D. et Y. Bergeron. An analysis of the daily radial activity of 7 boreal tree species, northwestern Qu bec. *Environmental monitoring and assessment* 67:141-160. ✓
- 127) Kafka, V., Gauthier, S. et Bergeron, Y. **2001**. Fire impacts and crowning in the boreal forest: study of a large wildfire in western Qu bec. *International Journal of wildland fire* 10: 119-127. ✓
- 126) Gauthier, S., Leduc, A., Harvey, B., Bergeron, Y. et P. Drapeau. **2001**. Les perturbations naturelles et la diversit   cosyst mique. *Le Naturaliste canadien* 125(3) :10-17. Num ro sp cial : La for t bor ale : Recherche et biodiversit .
- 125) Drapeau, P., Leduc, A., Savard, J.-P. et Y. Bergeron. **2001**. Les oiseaux forestiers, des indicateurs des changements des mosa ques foresti res bor ales. *Le Naturaliste Canadien* 125(3) :41-46. Num ro sp cial : La for t bor ale : Recherche et biodiversit .
- 124) L gar , S., Bergeron, Y., Leduc, A. et D. Par . **2001**. Comparison of the understory vegetation in boreal forest types of southwest Quebec. *Can. J. Bot.* 79: 1019-1027. ✓
- 123) Tardif, J., Brisson, J. et Y. Bergeron. **2001**. Dendroclimatic analysis of *Acer*

- saccharum*, *Fagus grandifolia*, and *Tsuga canadensis* from an old-growth forest, southwestern Québec. *Can. J. For. Res.* 31:1491-1501. ✓
- 122)** Harvey, B. D., Leduc, A., Gauthier, S. et Y. Bergeron. **2002.** Stand-landscape integration in natural disturbance-based management of the southern boreal forest. *Forest ecology and management* 155: 369-385. ✓
- 121)** Giroux, J.-F., Bergeron, Y. et J. J. Veillette. **2001.** Dynamics and morphology of giant circular patterns of low tree density in black spruce stands in northern Quebec. *Can. J. Bot.* 79: 420-428. ✓
- 120)** Engelmark, O., Bergeron, Y. et M.D. Flannigan. **2000.** Age structure of eastern white pine, *Pinus strobus* L., at its northern distribution limit in Québec. *The Canadian field-naturalist* 114(4): 601-604. ✓
- 119)** Paré, D., Bergeron, Y. et M.-H. Longpré. **2001.** Potential productivity of aspen cohorts originating from fire, harvesting, and tree-fall gaps on two deposit types in northwestern Quebec. *Can. J. For. Res.* 31:1067-1073. ✓
- 118)** Carcaillet, C., Bergeron, Y., Richard, P.J.H., Fréchette, B., Gauthier, S. et Y.T. Prairie. **2001.** Change of fire frequency in the eastern Canadian boreal forests during the Holocene: does vegetation composition or climate trigger the fire regime? *Journal of ecology* 89: 930-946. ✓
- 117)** Girardin, M.-P., Tardif, J. et Y. Bergeron, Y. **2001.** Gradient analysis of *Larix laricina* dominated wetlands in Canada's southeastern boreal forest. *Canadian journal of Botany* 79: 444-456. ✓
- 116)** Flannigan, M., Campbell, I., Wotton, M., Carcaillet, C., Richard, P. et Y. Bergeron. **2001.** Future fire in Canada's boreal forest: paleocology results and general circulation model – regional climate model simulations. *Can. J. For. Res.* 31: 854-864. ✓
- 115)** Hély, C., Flannigan, M., Bergeron, Y. et D. McRae. **2001.** Role of vegetation and weather on fire behavior in the Canadian mixedwood boreal forest using two fire behavior prediction systems. *Can. J. For. Res.* 31: 430-441. ✓
- 114B)** Larocque, I., Campbell, I., Bradshaw, R.H.W. et Y. Bergeron **2000.** Modern pollen-representation of some boreal species on islands in a large lake in Canada. *Review of paleobotany and palynology* 108: 197-211. ✓
- 114)** Boudreault, C., Gauthier, S. et Y. Bergeron, Y. **2000** Epiphytic lichens and bryophytes on *Populus tremuloides* along a chronosequence in the southwestern boreal forest of Québec, Canada. *The Bryologist* 103(4):725-738 ✓

- 113) Gauthier, S., De Grandpré, L. et Y. Bergeron. **2000**. Differences in forest composition in two boreal forest ecoregions of Quebec. *J. Veg. Sci.* 11: 781-790 ✓
- 112) Bergeron, Y., Gauthier, S., Kafka, V., Lefort, P. et D. Lesieur. **2001**. Natural fire frequency for the eastern Canadian boreal forest: consequences for sustainable forestry. *Can. J. for. Res.* 31: 384-391 ✓
- 111) Hély, C., Bergeron, Y. et M. D. Flannigan. **2000**. Effects of stand composition on fire hazard in mixed-wood Canadian boreal forest. *J. Veg. Sci.* 11: 813-824 ✓
- 110) Tardif, J., Dutilleul, P. et Y. Bergeron. **1998**. Variations in periodicities of the ring width of black ash (*Fraxinus nigra* Marsh.) in relation to flooding and ecological site factors at lake Duparquet in northwestern Québec. *Biological rhythm research* 29: 1-29.
- 109) Hély, C., Bergeron, Y. et M.D. Flannigan. **2000**. Coarse woody debris in the southeastern Canadian boreal forest: composition and load variations in relation to stand replacement. *Can. J. For. Res.* 30: 674-687. ✓
- 108) Larocque, I., Bergeron, Y., Campbell, I.D. et R.H.W. Bradshaw. **2000**. Vegetation changes through time on islands of lake Duparquet, Abitibi, Canada. *Can. J. For. Res.* 30: 179-190. ✓
- 107) Asselin, H., Fortin, M.-J. et Bergeron, Y. **2001**. Spatial distribution of late-successional coniferous species regeneration following disturbance in southwestern Québec boreal forest. *For. Ecol. Managem.* 140: 29-37. ✓
- 106) Nguyen-Xuan, T., Bergeron, Y., Simard, D., Fyles, J.F. et Paré, D. **2000**. The importance of forest floor disturbance in the early regeneration patterns of the boreal forest of western and central Quebec: a wildfire versus logging comparison. *Can. J. For. Res.* 30:1353-1364. ✓
- 105) Bergeron, Y. **2000**. Species and stand dynamics in the mixed woods of Quebec's southern boreal forest. *Ecology* 81(6): 1500-1516. ✓
- 104) Bergeron, Y., Gauthier, S., Carcaillet, C., Flannigan, M. et Richard, J.H. **1999**. Reconstruction of recent and holocene fire chronologies and associated changes in forest composition: a basis for forest landscape management. Réseau de centres d'excellence, Réseau sur la gestion durable des forêts, Project report 1999-16, 18 pp.

- 103)** Denneler, B., Bergeron, Y. et Bégin, Y. **1999**. An attempt to explain the distribution of the tree species composing the riparian forests of lake Duparquet, southern boreal region of Quebec, Canada. *Can. J. Bot.* 77: 1744-1755. ✓
- 102)** Bergeron, Y., Harvey, B., Leduc, A. et Gauthier, S. **1999**. Stratégies d'aménagement forestier qui s'inspirent de la dynamique des perturbations naturelles: considérations à l'échelle du peuplement et de la forêt. *Forestry chronicle* 75(1): 55-61.
- 101)** Beaudet, M., Messier, C., Paré, D., Brisson, J. et Y. Bergeron. **1999**. Possible mechanisms of sugar maple regeneration failure and replacement by beech in the Boisé-des-Muir old-growth forest, Québec. *Ecoscience* 6(2): 264-271. ✓
- 100)** Hofgaard, A., Tardif, J. et Y. Bergeron. **1999**. Dendroclimatic response of *Picea mariana* and *Pinus banksiana* along a latitudinal gradient in the eastern Canada boreal forest. *Can. J. For. Res.* 29: 1333-1346. ✓
- 99)** Bergeron, Y., Harvey, B., Leduc, A. and S. Gauthier. **1999**. Forest management guidelines based on natural disturbance dynamics: Stand- and forest-level considerations. *Forestry Chronicle* 75(1):49-54.
- 98)** Drapeau, P., Leduc, A., Giroux, J.-F., Savard, J.-P., Bergeron, Y., and W. L. Vickery. **2000**. Landscape-scale disturbances and changes in bird communities of boreal mixed-wood forests. *Ecological Monographs* 70(3): 423-444. ✓
- 97)** Béland, M., Bergeron, Y. et Z. Zarnovican. **1999**. Natural regeneration of jack pine following harvesting and site preparation in the Clay belt of northwestern Quebec. *The Forestry chronicle* 75(5): 821-831.
- 96)** Kneeshaw, D. and Y. Bergeron. **1999**. Spatial and temporal patterns of seedling and sapling recruitment within canopy gaps caused by spruce budworm. *Ecoscience* 6(2):214-222 ✓
- 95)** INEXISTANT
- 94)** Bergeron, Y., Richard, P. J. H., Carcaillet, C., Gauthier, S., Flannigan, M. and Y. Prairie. **1998**. Variability in fire frequency and forest composition in Canada's southeastern boreal forest: a challenge for sustainable forest management. *Conservation Ecology online* 2(2):<http://www.consecol.org/vol2/iss2/art6>. ✓

- 93) Bergeron, Y., Engelmark, O., Harvey, B., Morin, H., and L. Sirois. **1998**. Key issues in disturbance dynamics in boreal forests: Introduction. *Journal of Vegetation Science* 9: 464-468. ✓
- 92) Simard, M.-J., Bergeron, Y. and L. Sirois. **1998**. Conifer seedling recruitment in a southeastern Canadian boreal forest: the importance of substrate. *Journal of Vegetation Science* 9:575-582. ✓
- 91) Flannigan, M.D., Bergeron, Y., Engelmark, O., and B.M. Wotton. **1998**. Future wildfire in circumboreal forests in relation to global warming. *Journal of Vegetation Science* 9:469-476. ✓
- 90) Ban, Y., Xu, H., Bergeron, Y, and Kneeshaw, D. D. **1998**. Gap regeneration of shade-intolerant *Larix gmelini* in old-growth boreal forests of northeastern China. *Journal of Vegetation Science* 9:529-536. ✓
- 89) Bergeron, Y. and Leduc, A. **1998**. Relationships between change in fire frequency and mortality due to spruce budworm outbreak in the southeastern Canadian boreal forest. *Journal of Vegetation Science* 9:493-500. ✓
- 88) Kneeshaw, D., Bergeron, Y., and De Grandpré, L. **1998**. Early response of *Abies balsamea* seedlings to artificially created openings. *Journal of Vegetation Science* 9:543-550. ✓
- 87) Messier, C., Parent, S., and Bergeron, Y. **1998**. Effects of overstory and understory vegetation on the understory light environment in mixed boreal forests. *Journal of Vegetation Science* 9:511-520. ✓
- 86) Flannigan, M.D. and Bergeron, Y. **1998**. Possible role of disturbance in shaping the northern distribution of *Pinus resinosa*. *Journal of Vegetation Science* 9:477-482. ✓
- 85) Bergeron, Y. **1998**. Les conséquences des changements climatiques sur la fréquence des feux et la composition forestière au sud-ouest de la forêt boréale québécoise. *Géographie Physique et Quaternaire* 52:167-173 ✓
- 84) Tardif, J. and Bergeron, Y. **1999**. Population dynamics of *Fraxinus nigra* in response to flood-level variations, northwestern Quebec. *Ecological Monographs* 69: 107-125 ✓
- 83) Kneeshaw, D.D. and Bergeron, Y. **1998**. Canopy gap characteristics and tree replacement in the southeastern boreal forest. *Ecology* 79:783-794. ✓

- 82) Cappuccino, N., Lavertu, D., Bergeron, Y., and Régnière, J. **1998**. Spruce budworm impact, abundance and parasitism rate in a patchy landscape. *Oecologia* 114:236-242. ✓
- xxx) Bergeron, Y. et M.D. Flannigan. 1998. Another look at the little ice age. *Letter Bioscience* 48:884-885.
- 81) Bergeron, Y. and Harvey, B. **1997**. Basing silviculture on natural ecosystem dynamics: an approach applied to the southern boreal mixedwood forest of Quebec. *For. Ecol. Managem.* 92:235-242. ✓
- 80) De Grandpré, L. and Bergeron, Y. **1997**. Diversity and stability of understorey communities following disturbance in the southern boreal forest. *Journal of Ecology* 85:777-784. ✓
- 79) Tardif, J. and Bergeron, Y. **1997**. Ice-flood history reconstructed with tree-rings from the southern boreal forest limit, western Québec. *The Holocene* 7:291-300.
- 78) Tardif, J. and Bergeron, Y. **1997**. Comparative dendroclimatological analysis of two black ash and two white cedar populations from contrasting sites in the Lake Duparquet region, north western Québec. *Can. J. For. Res.* 27:108-116. ✓
- 77) Galipeau, C., Kneeshaw, D., and Bergeron, Y. **1997**. White spruce and balsam fir colonization of a site in the southeastern boreal forest as observed 68 years after fire. *Can. J. For. Res.* 27:139-147. ✓
- 76) Bergeron, Y., Leduc, A., and Li, T.X. **1997**. Explaining the distribution of *Pinus* spp. In a Canadian boreal insular landscape. *J. Veg. Sci.* 8:37-44. ✓
- 75) Kneeshaw, D. D. and Bergeron, Y. **1996**. Ecological factors affecting the abundance of advance regeneration in Québec's southwestern boreal forest. *Can. J. For. Res.* 26:888-898. ✓
- 74) Béland, M. and Bergeron, Y. **1996**. Height growth of Jack pine (*Pinus banksiana*) in relation to site types in boreal forests of Abitibi, Québec. *Can. J. For. Res.* 26:2170-2179. ✓
- 73) Paré, D. and Bergeron, Y. **1996**. Effect of colonizing tree species on soil nutrient availability in a clay soil of the boreal mixedwood. *Can. J. For. Res.* 26:1022-1031. ✓
- 72) Tremblay, M. F., Mauffette, Y. and Bergeron, Y. **1996**. Germination responses of northern red maple (*Acer rubrum*) populations. *Forest Science* 42(2):154-159. ✓

- 71) Gauthier, S., Bergeron, Y., and Simon, J. P. **1996**. Effects of fire regime on the serotiny level of Jack pine. *J. Ecol.* 84:539-548. ✓
- 70) Harvey, B.D., Cartier, P., Bergeron, Y., and Nolet, P. **1996**. Development of a practical forest ecosystem classification from existing biophysical studies: An approach used in northwestern Quebec. *Environmental Monitoring and Assessment* 39:231-247.
- 69) Cartier, P., Harvey, B. D., and Bergeron, Y. **1996**. A forest ecosystem guide for the Amos lowlands ecological region, northwestern Quebec: A forest management approach. *Environmental Monitoring and Assessment* 39:249-263.
- 68) Gauthier, S., Leduc, A., and Bergeron, Y. **1996**. Forest dynamics modelling under a natural fire cycles: A tool to define natural mosaic diversity for forest management. *Environmental Monitoring and Assessment* 39:417-434.
- 67) Bergeron, Y., Leduc, A., Morin, H. and Joyal, C. **1995**. Balsam fir mortality following the last spruce budworm outbreak in northwestern Quebec. *Can. J. For. Res.* 25:1375-1384. ✓
- 66) Beltrami, H., Chapman, D. S., Archambault, S., and Bergeron, Y. **1995**. Reconstruction of high resolution ground temperature histories combining dendrochronological and geothermal data. *Earth and Planetary Science Letters* 136: 437-445. ✓
- 65) Brais, S., Camiré, C., Bergeron, Y., and Paré, D. **1995**. Changes in nutrient availability and forest floor characteristics in relation to stand age and forest composition in the southern part of the boreal forest of northwestern Quebec. *Forest Ecology and Management* 76:181-189. ✓
- 64) Paré, D. and Bergeron, Y. **1995**. Above-ground biomass accumulation along a 230-year chronosequence in the southern portion of the Canadian boreal forest. *J. Ecol.* 83:1001-1007. ✓
- 63) Nolet, P., Domon, G., and Bergeron, Y. **1995**. Potentials and limitations of ecological classification as a tool for forest management: a case study of disturbed deciduous forests in Québec. *Forest Ecology and Management* 78:85-98. ✓
- 62) Harvey, B.D., Leduc, A., and Bergeron, Y. **1995**. Early postharvest succession in relation to site type in the southern boreal forest of Quebec. *Canadian Journal of Forest Research* 25:1658-1672. ✓

- 61) Bergeron, Y. and Flannigan, M.D. **1995**. Predicting the effects of climate change on fire frequency in the southeastern canadian boreal forest. *Water, Air and Soil Pollution* 82:437-444.
- 60) Lavertu, D., Mauffette, Y., and Bergeron, Y. **1994**. Effects of stand age and litter removal on the regeneration of *Populus tremuloides*. *Journal Vegetation Science* 5:561-568. ✓
- 59) Bergeron, Y. and Charron, D. **1994**. Postfire stand dynamics in a southern boreal forest(Québec): a dendroecological approach. *Ecoscience* 1:173-184. ✓
- 58) Longpré, M.-H., Bergeron, Y., Paré, D., and Béland, M. **1994**. Effect of companion species on the growth of Jack pine (*Pinus banksiana*). *Canadian Journal of Forest Research* 24:1846-1853. ✓
- 57) Bergeron, Y. and Brisson, J. **1994**. Effect of climatic fluctuations on post-fire regeneration of two jack pine and red pine populations during the twentieth century. *Géogr. Phys. Quat.* 48:145-149.
- 56) Brisson, J., Bergeron, Y., Bouchard, A., and Leduc, A. **1994**. Beech-maple dynamics in an old-growth forest in southern Québec, Canada. *Ecoscience* 1:40-46. ✓
- 55) Engelmark, O., Kullman, L., and Bergeron, Y. **1994**. Fire and age structure of Scots pine and Norway spruce in northern Sweden during the past 700 years. *The New Phytologist* 126:163-168. ✓
- 54) Tardif, J., Dery, S., and Bergeron, Y. **1994**. Sexual regeneration of black Ash (*Fraxinus nigra* Marsh.) in a boreal floodplain. *Am. Midl. Nat.* 132:124-135.
- 53) Meilleur, A., Bouchard, A., and Bergeron, Y. **1994**. The relation between geomorphology and forest community types of the Haut-Saint-Laurent, Quebec. *Vegetatio* 111:173-192.
- 52) Leduc, A., Prairie, Y.T., and Bergeron, Y. **1994**. Fractal dimension estimates of a fragmented landscape: sources of variability. *Landscape Ecology* 9:279-286. ✓
- 51) Bergeron, Y. and Archambault, S. **1993**. Decreasing frequency of forest fires in the southern boreal zone of Quebec and its relation to global warming since the end of the “Little ice age”. *The Holocene* 3: 255-259.
- 50) Bergeron, Y. and Dansereau, P.R. **1993**. Predicting the composition of Canadian southern boreal forest in different fire cycles. *J. Veg. Sci.* 4: 827-832. ✓

- 49) Paré, D., Bergeron, Y., and Camiré, C. **1993**. Changes in the forest floor of Canadian southern boreal forest after disturbance. *J. Veg. Sci.* 4: 811-818. ✓
- 48) De Grandpré, L. Gagnon, D. and Bergeron, Y. **1993**. Changes in the understory of Canadian southern boreal forest after fire. *J. Veg. Sci.* 4: 803-810. ✓
- 47) Gauthier, S., Gagnon, J. and Bergeron, Y. **1993**. Population age structure of *Pinus banksiana* at the southern edge of the Canadian boreal forest, *J. Veg. Sci.* 4:783-790. ✓
- 46) Tardif, J. and Bergeron, Y. **1993**. Radial growth of *Fraxinus nigra* in a Canadian boreal floodplain in response to climatic and hydrological fluctuations. *J. Veg. Sci.* 4:751-758. ✓
- 45) Béland, M. and Bergeron, Y. **1993**. Ecological factors affecting abundance of advanced growth in jack pine (*Pinus banksiana* Lamb.) stands of the boreal forest of northwestern Quebec. *For. Chronicle*, 69:561-568.
- 44) Morin, H., Laprise, D., and Bergeron, Y. **1993**. Chronology of spruce budworm outbreaks near Lake Duparquet, Abitibi region, Québec. *Can. J. For. Res.* 23:1497-1506. ✓
- 43) Dansereau, P.-R. and Bergeron, Y. **1993**. Fire history in the southern boreal forest of northwestern Quebec., *Can. J. For. Res.* 23:25-32. ✓
- 42) Gauthier, S., Bergeron, Y., and Simon, J.-P. **1993**. Cone serotiny in jack pine: ontogenetic, positional, and environmental effects. *Can. J. For. Res.* 23:394-401. ✓
- 41) Meilleur, A., Bouchard, A., and Bergeron, Y. **1992**. The use of understory species as indicators of Landform ecosystem type in heavily disturbed forest: an evaluation in the Haut-Saint-Laurent, Quebec. *Vegetatio* 102:13-32.
- 40) Archambault, S. and Bergeron, Y. **1992**. Discovery of a living 900 year-old northern white cedar, *Thuja occidentalis*, in northwestern Quebec. *Can. Field Nat.* 106:192-195.
- 39) Tardif, J. and Bergeron, Y. **1992**. Analyse écologique des peuplements de frêne noir (*Fraxinus nigra*) des rives du lac Duparquet, nord-ouest du Québec. *Can. J. Bot.* 70:2294-2302.
- 38) Archambault, S. and Bergeron, Y. **1992**. A 802-years tree-ring chronology from the Quebec boreal forest. *Can. J. For. Res.* 22:674-682. ✓

- 37) Bélanger, L., Bergeron, Y., and Camiré, C. **1992**. Ecological land survey in Québec. For. chronicle. 68:42-52.
- 36) Brisson, J., Bergeron, Y., and Bouchard, A. **1992**. The history and tree stratum of an old-growth forest of Haut-Saint-Laurent region, Quebec. Nat. Areas J. 12:3-9.
- 35) Gauthier, S., Simon, J.-P., and Bergeron, Y. **1992**. Genetic structure and variability in jack pine populations: effects of insularity., Can. J. For. Res. 22:1958-1965. ✓
- 34) Guevara de Lampe, M., Bergeron, Y., McNeil, R., and Leduc, A. **1992**. Seasonal flowering and fruiting patterns in tropical semi-arid vegetation of northeastern Venezuela. Biotropica. 24:64-76. ✓
- 33) Leduc, A., Drapeau, P., Bergeron, Y., and Legendre, P. **1992**. Study of spatial components of forest cover using partial Mantel tests and path analysis. J. Veg. Sci. 3:69-78. ✓
- 32) Béland, M., Bergeron, Y., Harvey, B., and Robert, D. **1992**. Quebec's ecological framework for forest management: A case study in the boreal forest of Abitibi. For. Ecol. Manag. 49:247-266.
- 31) Bergeron, Y. **1991**. The influence of Island and Mainland Lakeshore Landscapes on Boreal Forest Fire Regimes. Ecology 72:1980-1992. ✓
- 30) Bergeron, Y. and Brisson, J. **1990**. Fire regime in red pine stands at the northern limit of the species' range. Ecology 71:1352-1364. ✓
- 29) Bergeron, Y. and Dubuc, M. **1989**. Succession in the southern part of the canadian boreal forest. Vegetatio 79:51-63. ✓
- 28) Bouchard, A., Dyrda, S., Bergeron, Y., and Meilleur, A. **1989**. The use of notary deeds to estimate the changes in the composition of 19th century forests, in Haut-Saint-Laurent, Quebec. Can. J. For. Res. 19:1146-1150. ✓
- 27) Diotte, M. and Bergeron, Y. **1989**. Fire and the distribution of *Juniperus communis* L. in the boreal forest of Québec, Canada. J. Biogeo. 16:91-96.
- 26) Harvey, B.D. and Bergeron, Y. **1989**. Site patterns of natural regeneration following clear-cutting in northwestern Quebec. Can. J. For. Res. 19:1448-1469. ✓
- 25) Bergeron, Y., Bouchard, A., and Leduc, A. **1988**. Les successions secondaires dans les forêts du Haut-Saint-Laurent, Québec. Naturaliste Canadien 115:19-38.

- 24) Brisson, J., Bergeron, Y., and Bouchard, A. **1988**. Les successions forestières sur sites mésiques dans le Haut-Saint-Laurent, Québec, Canada. *Can. J. Bot.* 66:1192-1203.
- 23) Barabé, D., Bergeron, Y., and Vincent, G. **1987**. La répartition des caractères dans la classification des Hamamelididae (Angiospermae). *Can. J. Bot.* 65:1756-1767.
- 22) Bergeron, Y. and Gagnon, D. **1987**. Age structure of red pine (*Pinus resinosa* Ait.) at its northern limit in Quebec. *Can. J. For. Res.* 17:129-137. ✓
- 21) Bouchard A., Hay, S., Bergeron, Y., and Leduc, A. **1987**. Phytogeographical and life-form analysis of the vascular flora of Gros Morne National Park, Newfoundland, Canada. *J. Biogeo.* 14:343-358.
- 20) Domon, G. and Bergeron, Y. **1987**. Development of synthetic criteria for the ecological evaluation of woodlots and woodlot units. *Environ. manag.* 11:667-673.
- 19) Bouchard, A., Hay, S., Gauvin, C., and Bergeron, Y. **1986**. Rare vascular plants of Gros Morne National Park, Newfoundland, Canada. *Rhodora* 88:481-502.
- 18) Domon, G., Bergeron, Y., and Mousseau, P. **1986**. La hiérarchisation des unités forestières et des bois en milieu urbain sur la base de leur valeur écologique. *Biol. Cons.* 37:157-177.
- 17) Domon, G., Bouchard, A., Bergeron, Y., and Gauvin, C. **1986**. La répartition et la dynamique des principales espèces arborescentes du bois de Saraguay, Montréal(Québec). *Can. J. Bot.* 64:1027-1038.
- 16) Simon, J.P., Bergeron, Y., and Gagnon, D. **1986**. Isozyme uniformity in populations of red pine (*Pinus resinosa*) in the Abitibi region, Quebec. *Can. J. For. Res.* 16:1133-1135. ✓
- 15) Vincent, G., Bergeron, Y., and Meilleur, A. **1986**. Plant community pattern analysis: a cartographic approach applied in the Lac des Deux-Montagnes area (Québec). *Can. J. Bot.* 64:326-335.
- 14) Bergeron, Y., Bouchard, A., and Massicotte, G. **1985**. Gradient analysis in assessing differences in community pattern of three adjacent sectors within Abitibi, Québec. *Vegetatio* 64:55-65. ✓
- 13) Bouchard, A., Barabé, D., Bergeron, Y., Dumais, M., and Hay, S. **1985**. La phytogéographie des plantes vasculaires rares du Québec. *Naturaliste Canadien* 112:283-300.

- 12) Bouchard, A., Bergeron, Y., Camiré, C., Gangloff, P., and Gariépy, M. **1985**. Proposition d'une méthodologie d'inventaire et de cartographie écologique: Le cas de la M.R.C. du Haut-Saint-Laurent. Cah. Geogr. Que. 29:79-95.
- 11) Vincent, G. and Bergeron, Y. **1985**. Weed synecology and dynamics in urban environment. Urban Ecol. 9:161-175.
- 10) Bergeron, Y. and Bouchard, A. **1983**. Use of ecological groups in analysis and classification of plant communities in a section of western Quebec. Vegetatio 56:45-63. ✓
- 9) Potvin, C., Bergeron, Y., and Simon, J.-P. **1983**. A numerical taxonomic study of selected *Citrus* species (Rutaceae) based on biochemical characters. Syst. Bot. 8:127-133.
- 8) Vincent, G.A. and Bergeron, Y. **1983**. La caractérisation d'herbiers aquatiques du Lac des Deux-Montagnes (Québec) à partir de paramètres physiques de l'eau. Can. J. Bot. 61:400-411.
- 7) Barabé, D., Bergeron, Y., and Vincent, G. A. **1982**. La position des Daphniphyllaceae, Buxaceae, Simonsiaceae et Cecropiaceae dans la sous-classe des Hamamelididae. C.R. Acad. Sc. Paris. 294 (3):891-896.
- 6) Barabé, D., Bergeron, Y., and Vincent, G. A. **1982**. Étude quantitative de la classification des Hamamelididae Taxon 31:619-645.
- 5) Bergeron, Y., Camiré, C., Bouchard A., and Gangloff, P. **1982**. Analyse et classification des sols pour une étude écologique intégrée d'un secteur de l'Abitibi, Québec. Geogr. Phys. Quat. 36:291-305.
- 4) Barabé, D., Bergeron, Y., and Vincent, G. A. **1981**. A numerical method to describe flowering plant families Taxon 30:628-629.
- 3) Barabé, D., Bergeron, Y., and Vincent, G. A. **1981**. Relations phénétiques entre les familles d'Hamamelididae. Experientia 37:135-136.
- 2) Bergeron, Y., Bouchard, A., Clayden, S., and Massicotte, G. N. **1981**. Additions à la flore de l'Abitibi, Québec II. Naturaliste canadien 108:65-70.
- 1) Bergeron, Y., Bouchard, A., and Massicotte, G. N. **1978**. Additions à la flore de l'Abitibi, Québec. Naturaliste canadien 105:479-484.

LIVRES

Engelmark, O., Bradshaw, R. and Bergeron, Y. (EDS) 1993. Disturbance dynamics in boreal forest. Opulus press, Uppsala.

Bergeron, Y., Engelmark, O., Harvey, B., Morin, H., and L. Sirois. (Eds). 1998.
Key issues in disturbance dynamics in boreal forests. Special features in vegetation science no.15. Opulus press, Uppsala.

Bergeron, Y., Bouchard, A., Gangloff, P. and Camiré, C. 1983. La classification écologique des milieux forestiers d'une partie des cantons d'Hébécourt et de Roquemaure. Études écologiques no. 9, Université Laval, Québec, 169p.

CHAPITRES DE LIVRE

- LEDUC, A. , GAUTHIER, S. et Y. BERGERON. 1995. Préviation de la composition d'une mosaïque forestière naturelle soumise à un régime des feux: proposition d'un modèle empirique pour le nord-ouest du Québec. pp 197-205 in: Domon, G. and Falardeau, J. (Ed.) Méthodes et réalisations de l'écologie du paysage pour l'aménagement du territoire. Polyscience publication, Morin heights. 227p.
- ENGELMARK, O., BRADSHAW, R. and BERGERON, Y. 1993. Disturbance dynamics in boreal forest: Introduction. *J. Veg. Sci.* 3: 729-732.
- BERGERON, Y., GAGNON, D., MAUFFETTE, Y. and TARDIF, J. 1992. La forêt menacée. In: Barrère M. (Éd.) Terre, patrimoine commun., Association Descartes et Éditions la Découverte, Paris, France.
- BOUCHARD, A., HAY, S., BERGERON, Y. and LEDUC, A. 1991. The vascular flora of gros morne National Park, Newfoundland: A habitat classification approach based on floristic, biogeographical and life-form data. in: Nimis, P.L., & Crovello, T.J. (eds). Quantitative approaches to phytogeography. Kluwer Academic publishers, The Netherlands. pp. 123-157.
- BERGERON, Y., BOUCHARD, A., CAMIRÉ, C. and GANGLOFF, P. 1985. Les types et les phases écologiques: relations fonctionnelles sol-végétation. dans Paysage et Système de l'organisation écologique à l'organisation visuelle. V. Berdoulay & M. Phipps Éd. Ottawa, Éditions de l'Université d'Ottawa. (pp. 4155).

L'AUBELLE

- Leduc, A., Bergeron, Y., Drapeau, P., Harvey, B. et S. Gauthier. **2000**. Le régime naturel des incendies forestiers: un guide pour l'aménagement durable de la forêt boréale. *L'Aubelle* 135: 13-16, 22. ✓
- Gauthier, S., Bergeron, Y. et B. Harvey. **1997**. Régime naturel des feux et aménagement des paysages forestiers: Enjeux et pistes pour une foresterie durable. *L'Aubelle* 120: 9-11, 15.
- Harvey, B., Bergeron, Y., Leduc, A. et S. Gauthier. **1997**. Sylviculture et aménagement forestier écosystémiques, peut-on concilier les deux? L'exemple de la forêt boréale mixte de l'Abitibi. *L'Aubelle* 122: 22-24, 31.

TEXTES DE VULGARISATION

- Bergeron, Y. **2000**. Une histoire de la végétation de l'Abitibi. pages 40-57 dans Veillette, J., Bergeron, Y., Gaudreau, L., Miron, F. et G. Drainville. 2000. Abitibi-Témiscamingue: De l'emprise des glaces à un foisonnement d'eau et de vie: 10 000 ans d'histoire. Éditions Multimondes, Ste-Foy, Qc, 160p.
- Bergeron, Y. et D. Charron. **1994**. Le feu, cet indissociable ami de l'homme. Quatre-temps.